SG1J	
270002-4	Jung 88 A. meade, md

SG1J

Approved For Release	2003/01/09:	CIA-RDP96-00	789R003400270002

Approved For Release 2003/01/09 : CIA-RDP96-00789R003400270002-4

2

Al5

site

Spulto

insite

fend in Super 13 de


manipulating
Conf.
Conf.
Conf.
Conf.
Conf.
Contains

Apparati


intoures i demande

Approved For Release 2003/01/09: CIA-RDP96-00789R003400270002-4





SUI 465 52 AZ BZ T T (y linderid Segment Containing Containment Whatis permal s upported 5x1/2 "l'ike" a Upset occirulating environment - accedent me "Seal" would be cartastrophic for the operation wo his & aler phys rially Darepour for angue in municipal citations Remiel we of July & a grantina light 36/2 Space to walk from the sound work 3600 area a supposed For Release 29/3/01/09/6/0789R003400276002-4 MIZINT



タレエ Approved For Release 2003/01/09 : CIA-RDP96-00789R003400270002-4 AG An Su'z partion "like" engine or Carbemoto Cranifold is shape injul Ses amount of material introduce control speed + vitalites of process Arolfs like bullean voortes of Rudoactin Fuely jutisdoction except this steppison south M BK Substance in voluit is someway consider or unpleasent whiled to unportented hardling. Nexions. Dangerous. Est out Cardint (mings- ; retque/ ionigns

Attent / Sub dramete Sy commoded on

Weathered worker conduct Segments can be replaced what hoppen here is how only. Doesn't depend on vegula sut ge or in come easterin to Shelth. It's like a testine to see it it 5u/2 really works + if 50 other similar, though eally works + if 50 OT the lage - will be typined + "toughered" facilities - Stanlage - will be Approved For Release 2003/01/09: CIA-RDP96-00789R0084002700024with Sens for a vary of levil 50 net territors - at any orthogenics

50I 92 Se'r externally, not hardy noisy har day major heat light/voice signature to indicate processes being performed inside apper Aulage.

> was upue to do ul. radiovally a liki'ah almost fied deployout milea hocky

lifespan hugsely Muste - previouels ("libe" 1/2-2405.) people velvets carry on lage metal component and a constant constant interior Analy + expain sheller bas races surutarioush - Some parts for 6,3 to 6, ing then don t but be put i place before shelte laughtly and lost - to and mer period. "Full vens" jours non. Frontwell

The full vens four non. Heter applications continued as "viscandi" Station for possible future application

Se/12 Substances in wheel are recyclable up to a point Approved For Release 2003/01/09: CIA-RDP96-00789R003400270002-4

Sel's "Libi" there's that different top System that are not in any was
physically convented but much be in complete ) up topos, I in to one
anoths - In livest involved cirin a adjacent to each other become
they depend an each other to accompletely negative project.

When not intermix is shown completely negative project.

Theme turns and the other have some sort y measurable significant
inpart a @ other yout actuall leaves in livest contact.

14//

6